


1/12

Fig. 1



EXTRACTION METHOD FOR EFFECTIVELY OBTAINING
AMYGDALIN FROM PERSICAE SEMEN OR ARMENICAE SEMEN


HONG, et al

Appl. No.: Unknown

Atty Docket: DI-001

2/12

Fig. 2



EXTRACTION METHOD FOR EFFECTIVELY OBTAINING
AMYGDALIN FROM PERSICAE SEMEN OR ARMENICAE SEMEN


HONG, et al.

Appl. No.: Unknown

Atty Docket: DI-001

3/12

Fig. 3



EXTRACTION METHOD FOR EFFECTIVELY OBTAINING
AMYGDALIN FROM PERSICAE SEMEN OR ARMENICAE SEMEN


HONG, et al.

Appl. No.: Unknown

Atty Docket: DI-001

4/12

Fig. 4




EXTRACTION METHOD FOR EFFECTIVELY OBTAINING
AMYGDALIN FROM PERSICAE SEMEN OR ARMENICAE SEMENHONG, *et al.*

Appl. No.: Unknown

Atty Docket: DI-001

5/12

Fig. 5




EXTRACTION METHOD FOR EFFECTIVELY OBTAINING
AMYGDALIN FROM PERSICAE SEMEN OR ARMENICAE SEMEN
HONG, *et al.*

Appl. No.: Unknown Atty Docket: DI-001

6/12


Fig. 6



BEST AVAILABLE COPY

7/12

Fig. 7



EXTRACTION METHOD FOR EFFECTIVELY OBTAINING
AMYGDALIN FROM PERSICAE SEMEN OR ARMENICAE SEMEN


HONG, et al.

Appl. No.: Unknown

Atty Docket: DI-001

8/12

Fig. 8



EXTRACTION METHOD FOR EFFECTIVELY OBTAINING
AMYGDALIN FROM PERSICAE SEMEN OR ARMENICAE SEMEN


HONG, *et al.*

Appl. No.: Unknown

Atty Docket: DI-001

9/12

Fig. 9



EXTRACTION METHOD FOR EFFECTIVELY OBTAINING
AMYGDALIN FROM PERSICAE SEMEN OR ARMENICAE SEMEN


HONG, et al.

Appl. No.: Unknown

Atty Docket: DI-001


10/12

Fig. 10



11/12

Fig. 11



EXTRACTION METHOD FOR EFFECTIVELY OBTAINING
AMYGDALIN FROM PERSICAE SEMEN OR ARMENICAE SEMEN

HONG, et al.

Appl. No.: Unknown

Atty Docket: DI-001

12/12

Fig. 12

